

LOCKS



akpen[®]

**UPVC & ALUMINIUM
WINDOW & DOOR
ACCESSORIES**



"We will always be part of your house"

About Us

Our company started its activities with a small workshop in 1988. Nowadays, our company exports to 40 countries employing 370 people and manufacturing products in 26.000 square meters modern and high technology contained closed area factory located in Istanbul Hadimkoy.

Company Akpen, which has adopted the principle of Sustainable Quality Approach and Maximum Customer Satisfaction, has continued its investments in the field of automation and production technologies since 2010 and has become a brand frequently mentioned in the sector with its environmentally friendly high-tech production techniques and developed products.

With more than 30 years of manufacturing experience and experienced staff, it has achieved its goals. Akpen continues to lead his new targets without slowing down and is moving forward with sure steps towards becoming a worldwide known brand.

Content

Product Information	2
Hardware system	3
Surface protection	4
Article number structure	5
Symbols and notations	7
Deluxe Series Multi Point Door Locks (Metal Case) - 25 / 85	10
Deluxe Series Multi Point Door Locks (Metal Case) - 25 / 92	11
Deluxe Series Multi Point Door Locks (Metal Case) - 35 / 85	12
Deluxe Series Multi Point Door Locks (Metal Case) - 35 / 92	13
Deluxe Series Multi Point Door Locks (Metal Case) - Extendable	14
Akpen Series Multi Point Door Locks (Metal Case) - 35 / 85	15
Multi Point Door Locks (Plastic Case) - 35 / 85	16
Multi Point Door Locks (Plastic Case) - 28 / 85	17
Multi Point Door Locks (Plastic Case) - 25 / 85	18
Multi Point Door Locks (Plastic Case) - 35 / 92	19
Multi Point Door Locks (Plastic Case) - 25 / 92	20
Mortise Locks With Standard Latch and Profile Cylinder(Plastic Case)	22
Mortise Locks For Balcony and WC Doors (Plastic Case)	23
Mortise Locks With Roller (Plastic Case)	24
Mini Mortise Lock Set for WC	25
Locking Plates	26

Product Information

1. Product information and specified application

Multipoint door locks and mortise lock hardware as covered by this definition is one hand-operation side hung hardware for balcony doors and inner doors in building construction. By turning one handle it enables door sashes to open into side hung position and by turning key it enables door sashes to lock due to a lock mechanism.

Door lock hardware is used on vertically installed doors made of timber, pvc, aluminium or steel and their corresponding material combinations. Conventional door lock hardware as covered by this definition, locks door sashes and enables various ventilating positions. When closing, the gasket counter force must be overcome as a rule. Differing applications do not correspond to its specified application.

Burglar-resistant doors, windows and balcony doors for damp rooms and those for use in environments with aggressive, corrosive air content, require hardware adapted for the respective application and individually agreed upon performance features.

2. Misuse

- When obstacles are inserted in the opening vicinity between frame and sash, thus preventing its proper specified use.
- When window and balcony door sashes are pressed adversatively or uncontrolled (for example by the wind) up against the window reveals, so that the hardware, the frame material or other individual window or balcony door sash components are damaged or destroyed and/or if consequential damage can arise.
- When additional loads put on windows or balcony door sashes (for example if children swing on the window or balcony door sash).
- When while closing the window and balcony door sashes, someone reaches into the rebate between the sash and frame (injury hazard).

3. Liability

The respective entire hardware set may only consist of hardware components from AKPEN. In the case of inappropriately assembled hardware, and/or in case of non-original accessory components and/or non factory-approved components, no liability is accepted.

4. Product Information

The main goal of the products which are produced for all sorts of PVC and timber windows, is to offer the customer the required comfort. Therefore in the product range, there are alternatives suitable to the customer's demands and window types.

The security levels of the products, which are produced on the basis of basic security systems, can be easily changed. In some cases the change of the locking plate is sufficient to alter the security level. In other instances, the level of security is increased by changing the products. For security reasons, it is beneficial that the windows and balcony doors are produced according to specifications.

All mechanisms used at windows and balcony doors are produced in silver colour. For finishing, the nature-friendly plating technology is used. By this alkali based finishing technique, the corrosion resistance is increased due to the Cr+3 ions.

5. Product Performance

The AKPEN hardware can be used on all sashes up to 100 kg, as a standard. When sash weight exceeds 100 kg it is advised that AKPEN is consulted and additional hardware is supplied.

6. Maintenance

Security relevant hardware components are to be examined at least once a year for stability and wear and tear. Depending on the requirements, the fixing screws are to be tightened and/or parts to be replaced. In addition to this, the following maintenance work is to be carried out annually:

- All movable parts and locking points of the side hung and tilt-turn hardware have to be controlled and greased.
- Only cleaning and maintenance agents, which do not damage the corrosion protection of the hardware components, are to be used.

The hardware adjustments -particularly in the vicinity of the corner pivot rest and the scissors - as well as replacing parts and the unhinging and hinging of the active sash are to be carried out by a specialist company.


AKPEN Multi point door lock and mortise lock products are designed and manufactured in order to provide ergonomic opening, closing and locking and high level security for users and easy assembly for the window and producers.



Locking pins and strikers

AKPEN Hardware system is equipped with standard cylindrical locking pins that have $\varnothing 11$ mm diameter with roller and $\pm 0,8$ mm adjustment range.


In order to provide high level security, AKPEN has mushroom type locking pins as well.



Standard Middle Lock Pin (ML)



Security Middle Lock Pin (SeML)



Standard Striker




Security Striker

Quality

Surface Protection

All window and door hardware systems of AKPEN has a special surface finish against corrosion. All components are available in silver-look thanks to this technology.

This high level protection is obtained by means of galvanizing, passivation and sealing (varnish-coating).




The surface of all AKPEN products is protected by means of 3 layers which provides high resistance for corrosion and thanks to this coating system 5th grade according to EN 1670 is reached (According to AKPEN test results)

Durability

All door lock hardware system are manufactured and tested according to European standards EN 12209. This provides long life durability for users. The capacity of hardware has been ensured by certifications according to the regulation EN 12209 tested at an European level.

Every step of design, manufacturing and logistic processes are systematically controlled according to AKPEN high level quality requirements.



Article Number Structure

XX.XXXXXX.XX.XX
1 2 3 4 5

1- BRAND NUMBER (XX.XXXXXX.XX.XX)

00 : Without brand

01 : "AKPEN"

2- PRODUCT GROUP NUMBER (XX.XXXXXX.XX.XX)

AAA : Aluminum British handles

AAK : Aluminum bent handle

ACT : Glass wedge

AKK : Alu door handle

AKM : Adjustable door hinge

AKW : Screw

ALN : Allen key

APK : Alu window handle

ASG : Flyscreen equipments

AVK : Handle for parallel slide

BSI : Simple sliding gear

CNT : Scissors for gasket

CTL : Product catalogue

CTP : Pliers for glass wedge

DBL : Steel anchor

EMN : Safety device

FTL : Weather strip for sliding

G57 : H Mullion cover

HHD : New door handle

HHH : Aluminum and zink scraps

HOK : Mullion profile

INC : Plastic window handle (without spindle)

IZK : Striker zamak

IZO : Insulation materials

KIL : Mortise lock

KKI : Multipoint door lock

KLT : Door lock

KRJ : Sash grid elements

MIN : Mini locks

MNA : Alu hinge

MNC : PVC Cemom hinge

MNF : Vent

MNH : Alu speedy hinge

MNP : Plastic covered steel hinge

MNS : Steel hinge

MSP : Steel easy hinge

PLS : Plastic hinge

PNL : Sandwich panel

PRF : Profile

RTK : Furniture marker

SBL : Jig

SKO : Sliding sash profile

SOB : Mullion connector steel

SRM : Sliding sash with sill

STD : Product show booth

SUR : Insulation wedge for sliding system

TAI : Side hung gear

TCM : Trading products

TED : Ventilation handle

TFL : PTFE material

THI : Thiokol

TKK : Group products

TKM : Group

TPS : Plastic window handle (with spindle)

TSA : Alu sliding parts

TSM : Patallel slide manual systems

TSR : Parallel slide systems

TSS : Tilt and slide systems

TSY : Parallel slide semi-automatic

TTS : Tilt and turn systems

VVV : Tilt system

ZOB : Mullion connector, zamac

3- PRODUCT NUMBER (XX.XXXXXX.XX.XX)

a) TTS (Tilt and turn systems)

* TTS100 - TTS199 : Gear

* TTS200 - TTS299 : Stay arm

* TTS300 - TTS399 : Middle lock

* TTS400 - TTS499 : Diverse

* TTS500 - TTS599 : Double sash

* TTS600 - TTS699 : Hinge

* TTS700 - TTS799 : Extension

* TTS800 - TTS899 : Strikers

b) BSI - TAI (Sliding and side hung gears)

* BSI201 : 7,5 mm sliding gear, zamak gearbox

* BSI202 : 15 mm sliding gear, zamak gearbox

* BSI203 : 7,5 mm eko sliding gear, zamak gearbox

* BSI212 : 15 mm lockable sliding gear, zamak gearbox

* BSI222 : 15 mm sliding gear, steel gearbox

* BSI223 : 15 mm sliding gear, steel gearbox, zamak pin

* BSI301 : 7,5 mm sliding gear, zamak gearbox, zamak pin

* BSI302 : 15 mm sliding gear, zamak gearbox, zamak pin

* BSI303 : 7,5 mm sliding gear, eko zamak gearbox, zamak pin

* BSI400 : 22 mm sliding gear, zamak gearbox

* TAI100 - TAI199 : 7,5 mm side hung gear

* TAI200 - TAI299 : 15 mm side hung gear

* TAI300 - TAI399 : 20 mm side hung gear

* TAI400 - TAI499 : 22 mm side hung gear

* TAI500 - TAI599 : 25 mm side hung gear

* TAI600 - TAI699 : 40 mm side hung gear

* TAI700 - TAI799 : 30 mm side hung gear

4- PRODUCT SIZE PROPERTIES (XX.XXXXXX.XX.XX)

a) Door handle products

* OL : Left

* OR : Right

* 00 : D 115 mm

* 01 : D 130 mm

* 02 : D 140 mm

* 03 : D 130 mm + 2 parts in different colours

* 10 : KV + D 115 mm

* 11 : KV + D 130 mm

* 12 : KV + 140 mm

* 20 : Backplate Bosna, Handle Mesut, D 115 mm

* 21 : Alu cylinder door handle Mesut Max. D 130 mm

* 23 : Backplate Mesut, Handle Pinar (KV) + D 140 mm

V : Screw

KV : Cuttable screw

D : Spindle length

* 30 : Bosna (30 pieces in the box), D 115 mm

* 31 : Bosna (30 pieces in the box), D 130 mm

* 32 : Bosna (30 pieces in the box), D 140 mm

* 41 : Backplate Mesut, Handle Ikon, V90 + D 130 mm

* 42 : (216) KV 90 + D 140 mm + 2 parts in different colours

* 50 : Backplate Mesut, Handle Bosna KV + D 130 mm

* 51 : Backplate Mesut, Handle MesutMax, D 130 mm

* 63 : Mini WC Lock Group, Handle Pinar KV + D 140 mm

* 67 : Backplate Mesut, Handle Pinar KV + D140 mm +

2 parts in different colours

* 70 : Backplate Mega, Handle Odesa D 115 mm

b) Window handle types

* 00 : D 35 mm

* 01 : D 38 mm

* 02 : D 45 mm

* 11 : D 38 (8 stops)

* 12 : D 45 (8 stops)

Article Number Structure

c) 80 kg - 120 kg Adjustable door hinges

* 00 : Frame part size 14 - 18 mm * 01 : Frame part size 18 - 22 mm * 02 : Frame part size 22 - 26 mm
KS:Z = Frame Zamak KS:A = Frame Aluminum KN:Z = Sash Zamak KN:A = Sash Aluminum

d) 160 kg Adjustable door hinges

* 00 : Frame part size 15 - 19 mm * 01 : Frame part size 17 - 21 mm * 02 : Frame part size 19 - 23 mm * 03 : Frame part size 23 - 27 mm

e) Hinge group article numbers

* 01 : Eko Hinge * 03 : Heavy Hinge * 05 : Egepen Max. Hinge * 07 : Hinges with combinations
* 02 : AK Hinge * 04 : Egepen Hinge * 06 : Ado Marmara Hinge

f) Side hung and sliding gear sizes

* 01 : 300 mm (M-)	* 06 : 1200 mm (M-)	* 11 : 300 mm (M+)	* 16 : 1200 mm (M+)
* 02 : 400 mm (M-)	* 07 : 1400 mm (M-)	* 12 : 400 mm (M+)	* 17 : 1400 mm (M-)
* 03 : 600 mm (M-)	* 08 : 1600 mm (M+)	* 13 : 600 mm (M+)	* 18 : 1600 mm (M-)
* 04 : 800 mm (M-)	* 09 : 1800 mm (M+)	* 14 : 800 mm (M-)	* 19 : 1800 mm (M-)
* 05 : 1000 mm (M-)	* 10 : 2000 mm (M+)	* 15 : 1000 mm (M-)	* 20 : 2000 mm (M-)

(M-) : Without centering pin (M+) : With centering pin

g) Lockable gears

* 00 : With standard locking pin * 01 : With security locking pin

h) Mortise locks

* 00 : Standard lock * 01 : Standard lock + locking plate * ZZ : Lock with zamak WC cylinder

i) Tilt and turn parts

* 00 : Without locking pin * 01 : With standard locking pin * 02 : With security locking pin

j) Profile fitting groove positions

* 01 : 9 mm * 02 : 13 mm * 03 : 10 mm * 04 : 14 mm

k) Rebate Hinge groove positions and directions

* L1 : Left 9 mm	* L3 : Left 10 mm	* R1 : Right 9 mm	* R3 : Right 10 mm
* L2 : Left 13 mm	* L4 : Left 14 mm	* R2 : Right 13 mm	* R4 : Right 14 mm

l) Shoot bolt striker types

* 01 : Adjustable shoot bolt striker (rounded)	* 06 : Zamak shoot bolt striker, 9 mm
* 02 : Adjustable shoot bolt striker (cornered)	* 07 : Zamak shoot bolt striker 13 mm
* 03 : Adjustable shoot bolt striker (rounded) with anchorage	* 08 : Double sash thin striker
* 04 : Adjustable shoot bolt striker (cornered) with anchorage	* 09 : Security striker
* 05 : Steel shoot bolt striker	* 10 : Top striker for long shoot bolt with lever
	* 11 : Bottom striker for long shoot bolt with lever

m) Tilt locking plate types

* 11 : Tilt locking plate vertical, 9 mm	* 21 : Tilt locking plate horizontal, 9 mm
* 12 : Tilt locking plate vertical, 13 mm	* 22 : Tilt locking plate horizontal, 13 mm
* 13 : Tilt locking plate vertical, 10 mm	* 23 : Tilt locking plate horizontal, 10 mm
* 14 : Tilt locking plate vertical, 14 mm	* 24 : Tilt locking plate horizontal, 14 mm

5 - SURFACE TREATMENT TYPES AND SIZES (XX.XXXXXX.XX.XX)

a) Surface treatments

* 00 : Zink plated surface	* 05 : RAL 8022 Black brown	* 11 : RAL 1001 Beige	* 16 : Anodized bronze
* 01 : RAL 9016 Traffic white	* 06 : RAL 9005 Jet black	* 12 : RAL 1011 Brown beige	* 17 : RAL 1013 Oyster white
* 02 : RAL 8003 Clay brown	* 07 : RAL 1015 Light ivory	* 13 : Anodized gold - 1	* 18 : Gold 4
* 03 : RAL 8017 Chocolate brown	* 08 : RAL 7016 Anthracite grey	* 14 : Anodized gold - 2	* 19 : Anodized bronze 4
* 04 : RAL 8019 Grey brown	* 09 : RAL 9006 White aluminum	* 15 : Anodized grey	* 20 : Anodized bronze 5

b) Tilt and turn gear lengths

* 00 : 250 mm (450 - 550)	* 02 : 900 mm (700 - 1200)	* 04 : 1400 mm (1200 - 1700)	* 06 : 2100 mm (1900 - 2400)
* 01 : 400 mm (550-700)	* 03 : 1100 mm (900 - 1400)	* 05 : 1900 mm (1700 - 2200)	


c) Stay arm sizes

* 01 : 450 mm (350 - 600) * 02 : 500 mm (400 - 600) * 03 : 700 mm (600 - 850) * 04 : 950 mm (850 - 1100) * 05 : 1200 mm (1100 - 1350)


d) Middle lock sizes

* 01 : 170 mm * 02 : 500 mm * 03 : 700 mm * 04 : 1000 mm * 05 : 1500 mm * 06 : 1700 mm


Symbols and notations




Number of screw holes




Packaging quantity (pcs)



Standard locking pin



Security locking pin




Deadbolt



Latch



Roller



Handle operated



Key operated



Square Spindle



MULTI POINT LOCKS



 [instagram.com/akpennew](https://www.instagram.com/akpennew)


 www.akpennew.com

 [facebook.com/akpennew](https://www.facebook.com/akpennew)


 info@akpennew.com

Multi Point Door Locks

Deluxe Series Multi Point Door Locks (Metal Case) - 25 / 85




ARTICLE NO									
			L	M1	M2	M3	M4		
01.KKI069.00.00	01.KKI069.01.00	X	1600	288	278	725	725	8	20
01.KKI070.00.00	01.KKI070.01.00	X	1800	293	284	825	825	10	20
01.KKI071.00.00	01.KKI071.01.00	X	2000	395	379	925	925	10	20
01.KKI072.00.00	01.KKI072.01.00	✓	1600	288	278	725	725	8	20
01.KKI073.00.00	01.KKI073.01.00	✓	1800	293	284	825	825	10	20
01.KKI074.00.00	01.KKI074.01.00	✓	2000	395	379	925	925	10	20




Deluxe Series Multi Point Door Locks (Metal Case) - 25 / 92

ARTICLE NO			L	M1	M2	M3	M4		
									
01.KKI081.00.00	01.KKI081.01.00	X	1600	288	278	725	725	8	20
01.KKI082.00.00	01.KKI082.01.00	X	1800	293	284	825	825	10	20
01.KKI083.00.00	01.KKI083.01.00	X	2000	395	379	925	925	10	20
01.KKI084.00.00	01.KKI084.01.00	✓	1600	288	278	725	725	8	20
01.KKI085.00.00	01.KKI085.01.00	✓	1800	293	284	825	825	10	20
01.KKI086.00.00	01.KKI086.01.00	✓	2000	395	379	925	925	10	20




Deluxe Series Multi Point Door Locks (Metal Case) - 35 / 85




Deluxe Series Multi Point Door Locks (Metal Case) - 35 / 92


ARTICLE NO			L	M1	M2	M3	M4		
									
01.KKI075.00.00	01.KKI075.01.00	X	1600	288	278	725	725	8	20
01.KKI076.00.00	01.KKI076.01.00	X	1800	293	284	825	825	10	20
01.KKI077.00.00	01.KKI077.01.00	X	2000	395	379	925	925	10	20
01.KKI078.00.00	01.KKI078.01.00	✓	1600	288	278	725	725	8	20
01.KKI079.00.00	01.KKI079.01.00	✓	1800	293	284	825	825	10	20
01.KKI080.00.00	01.KKI080.01.00	✓	2000	395	379	925	925	10	20



Deluxe Series Multi Point Door Locks (Metal Case) - Extendable



ARTICLE NO		F	P		L	M1	M2	M3	M4		
											
01.KKI091.00.00	01.KKI091.01.00	25	85	✓	2170	379	339	719	749	10	20
01.KKI089.00.00	01.KKI089.01.00	25	92	✓	2170	379	339	719	749	10	20
01.KKI090.00.00	01.KKI090.01.00	35	85	✓	2170	379	339	719	749	10	20
01.KKI088.00.00	01.KKI088.01.00	35	92	✓	2170	379	339	719	749	10	20




Akpen Series Multi Point Door Locks (Metal Case) - 35 / 85

Standard profile cylinder type


ARTICLE NO			L	M1	M2	M3	M4		
									
01.KKI001.00.00	01.KKI001.01.00	X	1600	288	278	725	725	8	20
01.KKI005.00.00	01.KKI005.01.00	X	1800	293	284	825	825	10	20
01.KKI003.00.00	01.KKI003.01.00	X	2000	395	379	925	925	10	20

Balcony type


ARTICLE NO			L	M1	M2	M3	M4		
									
01.KKI002.00.00	01.KKI002.01.00	X	1600	288	278	725	725	8	20
01.KKI006.00.00	01.KKI006.01.00	X	1800	293	284	825	825	10	20
01.KKI004.00.00	01.KKI004.01.00	X	2000	395	379	925	925	10	20



Standard profile cylinder type



Balcony type




Multi Point Door Locks (Plastic Case) - 35 / 85

Standard profile cylinder type

ARTICLE NO									
			L	M1	M2	M3	M4		
01.KKI013.00.00	01.KKI013.01.00	X	1600	288	278	725	725	8	20
01.KKI014.00.00	01.KKI014.01.00	X	1800	293	284	825	825	10	20
01.KKI015.00.00	01.KKI015.01.00	X	2000	395	379	925	925	10	20
01.KKI007.00.00	01.KKI007.01.00	✓	1600	288	278	725	725	8	20
01.KKI008.00.00	01.KKI008.01.00	✓	1800	293	284	825	825	10	20
01.KKI009.00.00	01.KKI009.01.00	✓	2000	395	379	925	925	10	20

Balcony type

ARTICLE NO									
			L	M1	M2	M3	M4		
01.KKI022.00.00	01.KKI022.01.00	X	1600	288	278	725	725	8	20
01.KKI023.00.00	01.KKI023.01.00	X	1800	293	284	825	825	10	20
01.KKI024.00.00	01.KKI024.01.00	X	2000	395	379	925	925	10	20
01.KKI010.00.00	01.KKI010.01.00	✓	1600	288	278	725	725	8	20
01.KKI011.00.00	01.KKI011.01.00	✓	1800	293	284	825	825	10	20
01.KKI012.00.00	01.KKI012.01.00	✓	2000	395	379	925	925	10	20




Multi Point Door Locks (Plastic Case) - 28 / 85

Standard profile cylinder type


ARTICLE NO										
			L	M1	M2	M3	M4			
01.KKI016.00.00	01.KKI016.01.00	X	1600	288	278	725	725	8	20	
01.KKI017.00.00	01.KKI017.01.00	X	1800	293	284	825	825	10	20	
01.KKI018.00.00	01.KKI018.01.00	X	2000	395	379	925	925	10	20	
01.KKI025.00.00	01.KKI025.01.00	✓	1600	288	278	725	725	8	20	
01.KKI026.00.00	01.KKI026.01.00	✓	1800	293	284	825	825	10	20	
01.KKI027.00.00	01.KKI027.01.00	✓	2000	395	379	925	925	10	20	

Balcony type

ARTICLE NO										
			L	M1	M2	M3	M4			
01.KKI019.00.00	01.KKI019.01.00	X	1600	288	278	725	725	8	20	
01.KKI020.00.00	01.KKI020.01.00	X	1800	293	284	825	825	10	20	
01.KKI021.00.00	01.KKI021.01.00	X	2000	395	379	925	925	10	20	
01.KKI028.00.00	01.KKI028.01.00	✓	1600	288	278	725	725	8	20	
01.KKI029.00.00	01.KKI029.01.00	✓	1800	293	284	825	825	10	20	
01.KKI030.00.00	01.KKI030.01.00	✓	2000	395	379	925	925	10	20	




Multi Point Door Locks (Plastic Case) - 25 / 85




ARTICLE NO									
			L	M1	M2	M3	M4		
01.KK1034.00.00	01.KK1034.01.00	X	1600	288	278	725	725	8	20
01.KK1035.00.00	01.KK1035.01.00	X	1800	293	284	825	825	10	20
01.KK1036.00.00	01.KK1036.01.00	X	2000	395	379	925	925	10	20
01.KK1043.00.00	01.KK1043.01.00	✓	1600	288	278	725	725	8	20
01.KK1044.00.00	01.KK1044.01.00	✓	1800	293	284	825	825	10	20
01.KK1045.00.00	01.KK1045.01.00	✓	2000	395	379	925	925	10	20

Multi Point Door Locks (Plastic Case) - 35 / 92



ARTICLE NO										
			L	M1	M2	M3	M4			
01.KKI037.00.00	01.KKI037.01.00	X	1600	288	278	725	725	8	20	
01.KKI038.00.00	01.KKI038.01.00	X	1800	293	284	825	825	10	20	
01.KKI039.00.00	01.KKI039.01.00	X	2000	395	379	925	925	10	20	
01.KKI046.00.00	01.KKI046.01.00	✓	1600	288	278	725	725	8	20	
01.KKI047.00.00	01.KKI047.01.00	✓	1800	293	284	825	825	10	20	
01.KKI048.00.00	01.KKI048.01.00	✓	2000	395	379	925	925	10	20	

Multi Point Door Locks (Plastic Case) - 25 / 92




ARTICLE NO										
			L	M1	M2	M3	M4			
01.KKI040.00.00	01.KKI040.01.00	X	1600	288	278	725	725	8	20	
01.KKI041.00.00	01.KKI041.01.00	X	1800	293	284	825	825	10	20	
01.KKI042.00.00	01.KKI042.01.00	X	2000	395	379	925	925	10	20	
01.KKI049.00.00	01.KKI049.01.00	✓	1600	288	278	725	725	8	20	
01.KKI050.00.00	01.KKI050.01.00	✓	1800	293	284	825	825	10	20	
01.KKI051.00.00	01.KKI051.01.00	✓	2000	395	379	925	925	10	20	

Mortise Locks


Mortise Locks with standard latch and profile cylinder

ARTICLE NO	A	B	C	D	E	F	G		
01.KIL001.00.00	35	85	50	-	16	177	240	✓	✓
01.KIL038.00.00	35	85	50	-	23	177	240	✓	✓
01.KIL040.00.00	35	92	50	21	16	177	247	✓	✓
01.KIL004.00.00	28	85	43	-	16	177	240	✓	X
01.KIL008.00.00	28	85	43	-	16	177	240	✓	✓
01.KIL012.00.00	25	85	42	-	23	186	240	✓	✓
01.KIL045.00.00	25	92	42	21	16	186	247	✓	✓
01.KIL007.00.00	20	85	37	-	16	186	240	✓	✓
01.KIL011.00.00	20	85	37	-	23	186	240	✓	✓




Mortise Locks for balcony and WC doors

ARTICLE NO	A	B	C	E	F	G	
01.KIL002.00.00	35	90	50	16	177	240	✓
01.KIL047.00.00	35	90	50	23	177	240	✓
01.KIL005.00.00	28	90	43	16	177	240	✓
01.KIL048.00.00	28	90	43	23	177	240	✓
01.KIL016.00.00	25	90	42	16	186	240	✓
01.KIL037.00.00	25	90	42	23	186	240	✓
01.KIL015.00.00	20	90	37	16	186	240	✓
01.KIL015.00.00	20	90	37	23	186	240	✓



Mortise Locks with roller


ARTICLE NO	A	C	E	F	G		
01.KILO10.00.00	25	42	16	186	240	X	✓
01.KILO12.00.00	25	42	23	186	240	X	✓
01.KILO13.00.00	20	37	23	186	240	X	✓
01.KILO14.00.00	25	42	23	186	240	X	✓




Mini Mortise Lock Set for WC

ARTICLE NO	A	C	E	
01.MIN003.00.01	30	49	16	115
01.MIN003.01.01	30	49	16	130
01.MIN003.02.01	30	49	16	140
01.MIN004.00.01	25	44	16	115
01.MIN004.01.01	25	44	16	130
01.MIN004.02.01	25	44	16	140
01.MIN006.00.01	25	44	23	115
01.MIN006.01.01	25	44	23	130
01.MIN006.02.01	25	44	23	140


Locking plate



Mini lock




Handle



Locking plates


00.TKK021.00.00

Adjustable
Latch & Deadbolt Plate
Steel




00.TKK022.00.00

Adjustable Latch Plate
Steel




00.TKK013.00.00

Adjustable
Latch & Deadbolt Plate
Steel




00.TKK014.00.00

Adjustable Latch Plate
Steel




00.TKK001.00.00

Adjustable
Latch & Deadbolt Plate
Steel




00.TKK011.00.00

Adjustable
Latch & Deadbolt Plate
Steel with plastic cap




00.TKK002.00.00

Adjustable Latch Plate
Steel



00.TKK023.00.00

Adjustable
Latch & Deadbolt Plate
for Aluminum Eurogroove





Notes



“COOPERATION”



akpen®

UPVC & ALUMINIUM WINDOW & DOOR ACCESSORIES

Product Development



High Technology



Green Energy



Research & Development

"Since 1988"



Renovation

LOCKS



akpen®

**UPVC & ALUMINIUM
WINDOW & DOOR
ACCESSORIES**



akpen®

AKPEN PLASTİK PENCERE
AKSESUARLARI NAKLİYE
SAN. İÇ VE DIŞ TİC. A.Ş.



facebook.com/akpennew
instagram.com/akpennew
info@akpennew.com
www.akpennew.com

Hadımköy Mah. Uçurtma Sk. No:6,
34555 Arnavutköy/İSTANBUL/TÜRKİYE
T: +90 212 798 34 34
F: +90 212 798 35 28
G: +90 533 705 5245

